


U.S. PRECIPITATION RANKINGS

Climate Division Data from 1895-2000 (105 years)

November 1999 to January 2000



LEGEND

Extremely Dry (Less than 10th Percentile)



Dry (10-30 Percentile)



Near Normal (30-70 Percentile)



Wet (70-90 Percentile)



Extremely Wet (Greater than 90th Percentile)




World Agricultural Outlook Board
Joint Agricultural Weather Facility

Preliminary data provided by National Climatic Data Center (NCDC) and is subject to revision.

U.S. TEMPERATURE RANKINGS

Climate Division Data from 1895-2000 (105 years)

November 1999 to January 2000



LEGEND

Extremely Cool (Less than 10th Percentile)



Cool (10-30 Percentile)



Near Normal (30-70 Percentile)



Warm (70-90 Percentile)



Extremely Warm (Greater than 90th Percentile)




World Agricultural Outlook Board
Joint Agricultural Weather Facility

Preliminary data provided by National Climatic Data Center (NCDC) and is subject to revision.

U.S. PRECIPITATION RANKINGS

Climate Division Data from 1895-2000 (106 years)

January 2000



LEGEND

Extremely Dry (Less than 10th Percentile)



Dry (10-30 Percentile)



Near Normal (30-70 Percentile)



Wet (70-90 Percentile)



Extremely Wet (Greater than 90th Percentile)




World Agricultural Outlook Board
Joint Agricultural Weather Facility

Preliminary data provided by National Climatic Data Center (NCDC) and is subject to revision.

U.S. TEMPERATURE RANKINGS

Climate Division Data from 1895-2000 (106 years)

January 2000



LEGEND

Extremely Cool (Less
than 10th Percentile)



Cool
(10-30 Percentile)



Near Normal
(30-70 Percentile)



Warm
(70-90 Percentile)



Extremely Warm
(Greater than 90th
Percentile)



World Agricultural Outlook Board
Joint Agricultural Weather Facility

Preliminary data provided by National Climatic Data Center
(NCDC) and is subject to revision.